

# SAFETY DATA SHEET

## 1. Identification

Product identifier	MAQUAT® MC1412-50
Other means of identification	
Product Code	863202
Product registration number	10324-6
Recommended use	FIFRA Regulated Manufacturing Use Product (Quat Active)
<b>Recommended restrictions</b>	None known.
Manufacturer/Importer/Supplier	/Distributor information
Manufacturer	
Company name	Mason Chemical Company
Address	9075 Centre Pointe Drive
	Suite 400
	West Chester, OH 45069
	United States
Telephone	(513) 326-0600
	1-800-707-4568
E-mail	sdsinfo@pilotchemical.com
Emergency phone number	CHEMTREC International: 1-703-527-3887
CHEMTREC USA:	1-800-424-9300

#### 2. Hazard(s) identification

Physical hazards	Flammable liquids	Category 3
Health hazards	Acute toxicity, oral	Category 4
	Skin corrosion/irritation	Category 1B
	Serious eye damage/eye irritation	Category 1
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 1
	Hazardous to the aquatic environment, long-term hazard	Category 1
OSHA defined hazards	Not classified.	
Label elements		



Signal word Hazard statement

Flammable liquid and vapor. Harmful if swallowed. Causes severe skin burns and eye damage. Causes serious eye damage. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

#### Precautionary statement Prevention

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe mist/vapors. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.

Response	If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Wash contaminated clothing before reuse. In case of fire: Use appropriate media to extinguish. Collect spillage.
Storage	Store in a well-ventilated place. Keep cool. Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.
Supplemental information	None.

# 3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Quaternary Ammonium Compounds, Benzyl-C12-C16-alkyldimethyl, Chlorides		68424-85-1	45 - < 55
Ethanol		64-17-5	5 - < 10
Other components below reportable	levels		30 - < 40

## 4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Most important symptoms/effects, acute and delayed	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
General information	Take off all contaminated clothing immediately. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	Flammable liquid and vapor.

#### 6. Accidental release measures

0. Accidental release meas	o. Accidental release measures		
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.		
Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools. This product is miscible in water. Prevent entry into waterways, sewer, basements or confined areas.		
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.		
	Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.		
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.		
Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.		
7. Handling and storage			
Precautions for safe handling	Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Do not breathe mist/vapors. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged exposure. When using, do not eat, drink or smoke. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices.		
Conditions for safe storage, including any incompatibilities	Store locked up. Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).		
0 Experies controls/nero			

## 8. Exposure controls/personal protection

#### **Occupational exposure limits**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value
Ethanol (CAS 64-17-5)	PEL	1900 mg/m3
		1000 ppm
US. ACGIH Threshold Lin	nit Values	
Components	Туре	Value
Ethanol (CAS 64-17-5)	STEL	1000 ppm
US. NIOSH: Pocket Guide	e to Chemical Hazards	
Components	Туре	Value
Ethanol (CAS 64-17-5)	TWA	1900 mg/m3
		1000 ppm
logical limit values	No biological exposure limits noted for the ingredient(s).	
propriate engineering htrols	Explosion-proof general and local exhaust ventilation. Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an	

acceptable level. Eye wash facilities and emergency shower must be available when handling this

Material name: MAQUAT® MC1412-50 863202 Version #: 04 Revision date: 01-03-2023 Issue date: 05-27-2015

product.

#### Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles) and a face shield.	
Skin protection Hand protection	Wear appropriate chemical resistant gloves.	
Other	Wear appropriate chemical resistant clothing.	
Respiratory protection	If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.	
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.	
General hygiene considerations	When using do not smoke. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.	

# 9. Physical and chemical properties

Appearance	Clear.
Physical state	Liquid.
Form	Liquid.
Color	Colorless to Light Straw.
Odor	Mild Organic
Odor threshold	Not available.
рН	6 - 8
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	116.6 °F (47.0 °C) Tag Closed Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	0.969 @23°C
Solubility(ies)	
Solubility (water)	Miscible
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	76.37 mm²/s @ 25°C
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
VOC	5.0 - 10.0 % estimated
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions.

**Chemical stability** 

Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the decomposition temperature. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

# 11. Toxicological information

Information on likely routes of exposure		
Inhalation	May cause irritation to the respiratory system. Prolonged inhalation may be harmful.	
Skin contact	Causes severe skin burns.	
Eye contact	Causes serious eye damage.	
Ingestion	Causes digestive tract burns. Harmful if swallowed.	
Symptoms related to the physical, chemical and toxicological characteristics	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.	

#### Information on toxicological effects

Acute toxicity	Harmful if swallowed.		
Product	Species	Test Results	
MAQUAT® MC1412-50			
Acute			
Dermal			
LD50	Rabbit	> 2000 mg/kg	
Oral	5.		
LD50	Rat	880 mg/kg	
Components	Species	Test Results	
Ethanol (CAS 64-17-5)			
<u>Acute</u>			
<b>Dermal</b> Liquid			
LD50	Rabbit	> 15800 mg/kg	
Inhalation		10000 mg/kg	
Vapor			
LC50	Rat	51.3 mg/l, 6 Hours	
Oral			
LD50	Rat	6.2 g/kg	
Quaternary Ammonium Compoun	ds, Benzyl-C12-C16-alkyldimethyl, Chlorides (CA	S 68424-85-1)	
<u>Acute</u>			
Dermal			
Liquid			
LD50	Rabbit	3413 mg/kg	
LD50	Rat	930 mg/kg	
Oral			
Liquid			
LD50	Rat	795 mg/kg	
LD50	Rat	304.5 mg/kg	
Skin corrosion/irritation	Causes severe skin burns and eye damage.	Causes severe skin burns and eye damage.	
Serious eye damage/eye irritation	Causes serious eye damage.		
Respiratory or skin sensitizatio	n		
Respiratory sensitization	Not a respiratory sensitizer.		

Skin sensitization	This produc	t is not expected to cause skip consitizat	ion		
Germ cell mutagenicity	•	This product is not expected to cause skin sensitization.			
	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.				
Carcinogenicity	No data available to indicate product or any components present at greater than 0.1% are carcinogenic.				
IARC Monographs. Overall	l Evaluation of	Carcinogenicity			
Not listed.					
OSHA Specifically Regulat Not listed.	ed Substance	s (29 CFR 1910.1001-1053)			
US. National Toxicology Pr Not listed.	rogram (NTP)	Report on Carcinogens			
Reproductive toxicity	Not available.				
Specific target organ toxicity - single exposure	Not classified.				
Specific target organ toxicity - repeated exposure	Not classified.				
Aspiration hazard	Not an aspiration hazard.				
Chronic effects	Prolonged inhalation may be harmful.				
12. Ecological informatio	n				
Ecotoxicity	Very toxic to	Very toxic to aquatic life with long lasting effects.			
Components		Species	Test Results		
Ethanol (CAS 64-17-5)					
Aquatic					
Crustacea	EC50	Water flea (Daphnia magna)	> 10000 mg/l, 48 hours		
Fish	LC50	Fathead minnow (Pimephales prome	, .		
•	pounds, Benzy	l-C12-C16-alkyldimethyl, Chlorides (CAS	\$ 68424-85-1)		
Aquatic					
<i>Acute</i> Fish	LC50	Bluegill (Lepomis macrochirus)	0.515 mg/l		
Chronic	2000		0.010 119/1		
Crustacea	NOEL	Daphnia	0.0042 mg/l		
Persistence and degradability	No data is a	vailable on the degradability of any ingre	edients in the mixture.		
Bioaccumulative potential					
Partition coefficient n-octa Ethanol	Partition coefficient n-octanol / water (log Kow)				
Mobility in soil	No data ava	No data available.			
Other adverse effects		No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.			
13. Disposal consideration	ons				
Disposal instructions	Dispose of contents/container in accordance with local/regional/national/international regulations. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.				
Local disposal regulations	Dispose in accordance with all applicable regulations.				
Hazardous waste code		The waste code should be assigned in discussion between the user, the producer and the waste disposal company.			
Waste from residues / unused products	product resi	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).			
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.				


# 14. Transport information

DOT

DOT	
UN number	UN2920
UN proper shipping name	Corrosive liquids, flammable, n.o.s. (Quaternary Ammonium Compounds, Ethanol)
Transport hazard class(es)	
Class	8
Subsidiary risk	3
Label(s)	8, 3
Packing group	I
Special precautions for user	<ul> <li>Read safety instructions, SDS and emergency procedures before handling.</li> </ul>
Special provisions	B2, IB2, T11, TP2, TP27
Packaging exceptions	154
Packaging non bulk	202
Packaging bulk	243
ERG number	132
Note: Class 3 labels are not re (a)	equired when packages are transported domestically by rail or highway as noted in 49CFR 172.402
IATA	
UN number	UN2920
UN proper shipping name	CORROSIVE LIQUID, FLAMMABLE, N.O.S. (Quaternary Ammonium Compounds, Ethanol)
Transport hazard class(es)	
Class	8
Subsidiary risk	3
Packing group	II
Environmental hazards	Yes
Special precautions for user	<ul> <li>Read safety instructions, SDS and emergency procedures before handling.</li> </ul>
Other information	
Passenger and cargo aircraft	Allowed with restrictions.
IMDG	
UN number	UN2920
UN proper shipping name	CORROSIVE LIQUID, FLAMMABLE, N.O.S. (QUATERNARY AMMONIUM COMPOUNDS, ETHANOL), MARINE POLLUTANT
Transport hazard class(es)	
Class	8
Subsidiary risk	3
Packing group	II
Environmental hazards	
Marine pollutant	Yes
EmS	F-E, S-C
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Transport in bulk according to Annex II of MARPOL 73/78 and	Not established.
the IBC Code	
DOT	
501	



IATA; IMDG



Signal word	DANGER KEEP OUT OF REACH OF CHILDREN		
Hazard statement	Corrosive. Causes irreversible eye damage and skin burns. May be fatal if inhaled. Harmful if swallowed or absorbed through the skin. Do not get in eyes, on skin or on clothing. Do not breathe vapor or spray mist. Wear a NIOSH approved respirator with an organic vapor (OV) cartridge with a combination N, R,or P filter (NIOSH approval number prefix TC-84A). Wear goggles or face shield, chemical-resistant gloves and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash before reuse.		
International Inventories			
Country(s) or region	Inventory name	On inventory (yes/no)*	
Australia	Australian Inventory of Chemical Substances (AICS)	Yes	
Canada	Domestic Substances List (DSL)	Yes	
Canada	Non-Domestic Substances List (NDSL)	No	
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes	
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes	
Europe	European List of Notified Chemical Substances (ELINCS)	No	
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes	
Korea	Existing Chemicals List (ECL)	Yes	
New Zealand	New Zealand Inventory	Yes	
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes	
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes	
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes	

ances Control Act (ISCA) Inventory es & Puerto Rico 10

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

Issue date	05-27-2015
Revision date	01-03-2023
Version #	04
HMIS® ratings	Health: 3 Flammability: 2 Physical hazard: 0
NFPA ratings	Health: 3 Flammability: 2 Instability: 0
Disclaimer	The Pilot Chemical Corp. product referred to in this document is sold pursuant to Pilot Chemical Corp.'s Standard Terms and Conditions ("Terms"); however, the information contained in this document shall not be considered part of said Terms. Although the information is believed to be accurate and reliable as of the date compiled, PILOT CHEMICAL CORP. MAKES NO GUARANTEE, REPRESENTATION, OR WARRANTY, EXPRESS OR IMPLIED, REGARDING THE ACCURACY, RELIABILITY, SUFFICIENCY, SUITABILITY, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OF ANY INFORMATION IN THIS DOCUMENT OR THE PRODUCT TO WHICH THIS DOCUMENT RELATES. Users should make their own investigations, tests and determinations as to the information's completeness and the product's suitability for their particular purposes. It is the user's responsibility to ensure that all activities comply with applicable laws. Pilot Chemical Corp. makes no warranty or representation that the information or product may be used without infringing the intellectual property rights of Pilot Chemical Corp. assumes no liability for its use.
<b>Revision information</b>	This document has undergone significant changes and should be reviewed in its entirety.