

PURABYK-P 5540

Untreated, natural phyllosilicate in powder form with excellent whiteness, large specific surface area, and high degree of fineness. Protects fibers from encrusting and keeps fabrics soft.

Product data

Composition

Phyllosilicate

Typical properties

The values indicated in this data sheet describe typical properties and do not constitute specification limits.

Bulk density: 300–500 kg/m³
pH value (5 % in H₂O): 8–10
Moisture content: max. 12 %
Whiteness (Hunter L): min. 90 %
Color: off-white
Delivery form: free-flowing powder

Storage and transportation

The product is slightly hygroscopic and should be transported and stored dry in the unopened original container at temperatures between 0 °C and 30 °C.

Special note

PURABYK-P 5540 is a non-organic raw material verified by ECOCERT GREENLIFE, conform to the "NATURAL DETERGENTS AND NATURAL DETERGENTS MADE WITH ORGANIC (v6 – August 2022 – including all sub-versions)" standard. 100 % of the total ingredients are from natural origin.



Applications

Fabric Care

Special features and benefits

PURABYK-P 5540 has a remarkable fabric softening effect, for which bentonite clays (phyllosilicates) are well known, especially on cotton and wool. The conventional explanation is that bentonite prevents fibers from encrusting with calcium and magnesium salts, and instead deposits as a thin protective layer on the fibers itself. In this way, the slip effect of the phyllosilicate platelet stacks spreads to the fabric, which gives laundry a soft touch. Even ironing is made easier. PURABYK-P 5540 is hydrophilic and absorbs sweat, which increases the wear comfort of the clothing. PURABYK-P 5540's high degree of whiteness also meets exceptionally demanding visual requirements.

Recommended use

PURABYK-P 5540 can be used as an additive component in liquid and powder detergents, because it is compatible with all included raw materials. This allows softening to take effect in the washing process.

Detergents	
------------	---

 especially recommended  recommended

Recommended levels

10–15 % additive (as supplied) based upon the total formulation, depending on the properties of the formulation to be achieved.

The above recommended levels can be used for orientation. The optimum dosage should be determined by application-related test series.

Incorporation and processing instructions

PURABYK-P 5540 is hydrophilic and can be added as supplied to the detergent formulation.



**Your local
contact**

BYK-Chemie GmbH
Abelstraße 45
46483 Wesel
Germany
Tel +49 281 670-0
Fax +49 281 65735

info@byk.com
www.byk.com

ADD-MAX®, ADD-VANCE®, ANTI-TERRA®, AQUACER®, AQUAMAT®, AQUATIX®, BENTOLITE®, BYK®, BYK-AQUAGEL®, BYK-DYNWET®, BYK-MAX®, BYK®-SILCLEAN®, BYKANOL®, BYKCARE®, BYKETOL®, BYKJET®, BYKO2BLOCK®, BYKONITE®, BYKOPLAST®, BYKUMEN®, CARBOBYK®, CERACOL®, CERAFAK®, CERAFLOUR®, CERAMAT®, CERATIX®, CLAYTONE®, CLOISITE®, DISPERBYK®, DISPERPLAST®, FULACOLOR®, FULCAT®, GARAMITE®, GELWHITE®, HORDAMER®, LACTIMON®, LAPONITE®, MINERPOL®, NANOBYK®, OPTIBENT®, OPTIFLO®, OPTIGEL®, POLYAD®, PRIEX®, PURABYK®, PURE THIX®, RECYCLOBLEND®, RECYCLOBYK®, RECYCLOSSORB®, RECYCLOSTAB®, RHEOBYK®, RHEOCIN®, RHEOTIX®, SCONA®, SILBYK®, TIXOGEL® and VISCOBYK® are registered trademarks of the BYK group.

The information herein is based on our present knowledge and experience. The information merely describes the properties of our products but no guarantee of properties in the legal sense shall be implied. We recommend testing our products as to their suitability for your envisaged purpose prior to use. No warranties of any kind, either express or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding any products mentioned herein and data or information set forth, or that such products, data or information may be used without infringing intellectual property rights of third parties. We reserve the right to make any changes according to technological progress or further developments.

This issue replaces all previous versions.